

FDA Certificates

Update: 2019/5/20

| Product Name | FDA | |
|-------------------------------|---------------|------------------|
| | For dry cargo | For Liquid cargo |
| BANNOH 1500 | * | |
| BANNOH 1500 QD | * | |
| BANNOH 500 | * | |
| BANNOH 500 QD | * | |
| BISCON HB-NT L | * | |
| BISCON HB-NT L QD | * | |
| CERABOND TU | * | |
| CLEANKEEP 5000 HOLDING PRIMER | | * |
| EP COAT No.300-70 HB | * | |
| EPICON FINISH HB | * | |
| EPICON FINISH HB EX | * | |
| EPICON MARINE FINISH | * | |
| EPICON MARINE HB | * | |
| EPICON T-500 | * | * |
| EPICON T-500 PRIMER H | | * |
| EPICON T-500 PRIMER H QD | | * |
| EPICON T-500 QD | | * |
| EPICON T-800 | * | * |
| EPICON T-800 HOLDING PRIMER | * | * |
| EPICON T-800 QD | | * |
| EPICON T-800 HS | | * |
| EPICON ZINC HB-2 | * | |
| EPICON ZINC RICH PRIMER B-2 | * | |
| EPICON ZINC SC B-2 | * | |
| EPICON ZINC SC B-2(M) | * | |
| EVAMAX 2000 F | * | |
| GALBON S-HB | * | * |
| HOLD SILVER | * | |
| PERMAX No.1000R | | * |
| POLYULAC No.200 F-HB CLEAR | * | |
| POLYULAC No.200 F-HB | * | |
| ROSWAN QD HB | * | |
| SILVA SPAR | * | |
| SILVA SPAR No.100 | * | |
| SILVA SPAR No.500 | * | |
| UMEGUARD SUPER-H | * | |
| UMEGUARD SUPER-H QD | * | |
| UMEGUARD SX | * | |
| UMEGUARD SX QD | * | |
| UMEGUARD SX HS | * | |
| UMEGUARD SX HS QD | * | |
| UNIX 25A | * | |

FDA: Code of Federal Regulation(CFR), Title 21, Food and Drugs, Part 170 to 199, §175.300